

Lenovo Firmware and Boot Code Release Notes for Emulex OCe14000-series Adapters

Versions: 10.2.377.20
10.2.377.23
10.2.377.29

Date: November 2014

Purpose and Contact Information

These release notes describe the new features, resolved known issues, and current known issues associated with this firmware and boot code release for the Emulex OneConnect™ OCe14000-series adapters.

For the latest product documentation, go to www.Emulex.com. If you have questions or require additional information, contact an authorized Emulex® technical support representative at tech.support@emulex.com, 800-854-7112 (US/Canada toll free), +1 714-885-3402 (US/International), or +44 1189-772929 (Europe, Middle East, and Africa).

New Features

1. Adds support for the Intel Xeon E5-2600 V3 processor family.
2. Adds support for RDMA over Converged Ethernet (RoCE) on Windows systems.

Resolved Issues from Firmware Version 10.2.261.41

Firmware Resolved Issues

1. Corrected an issue with an unrecoverable error occurring while booting the system after a core dump had been performed.
2. Corrected an issue where port 0 failed to log into target when performing a logout and login on the iSCSI port 0 initiator using the OneCommand Manager application.
3. Corrected an issue with bandwidth settings not properly updating when the Multichannel Mode was set to Virtual Fabric Mode.

NIC UEFI Resolved Issues

1. Corrected an issue with the server rebooting several times after disabling multichannel or changing the personality through the NIC UEFI.
2. Corrected an issue with functions disappearing after erasing the configuration, rebooting, and selecting either the Virtual Fabric Mode or Switch Independent Mode.
3. Corrected an issue where the virtual NIC functions would display as “Up” without assigning bandwidth or LPVID in Switch Independent Mode after erasing the controller configuration.

4. Corrected an issue where only two functions per port were displayed on 2-port adapters when the Multichannel Mode was set to Unified Fabric Protocol (UFP) Mode and the Personality was set to NIC.
5. Corrected an issue where changes made to the bandwidth settings on an Lenovo switch were not recognized by the adapter's NIC UEFI utility when the Multichannel Mode was set to Unified Fabric Protocol Mode.
6. Corrected an issue where changes to the bandwidth and LPVID values were not saved if the personality was set to Custom, when multichannel was enabled and set to Switch Independent Mode.

PXE BootBIOS Resolved Issues

1. Corrected an issue with the PXESelect utility displaying a different MAC address for function 2 than the one displayed in the UEFI utility.
2. Corrected an issue where the logical link status was displayed as "N/A" in the PXESelect utility.
3. Corrected an issue where when you entered the Multichannel Configuration screen, the PXESelect utility would force you to enter LPVID values for each function before allowing you to return to the previous menu.
4. Corrected an issue where the Windows share could be blocked during installation of Windows using PXE.

iSCSI BootBIOS Resolved Issues

1. Corrected an issue where logging into multiple targets, including the boot target, from a single port would cause the boot target to get logged out after reboot.

Known Issues

Firmware Known Issues

1. The following notes apply to updating firmware for this release:

WARNING: Once an adapter has been flashed to firmware version 10.2.261.36 or later, do not attempt to flash down to an older version without first contacting Lenovo support. Lenovo support will provide a special required downgrade flash procedure. If this procedure is not followed, there is risk in making the adapter permanently unusable.

- If the adapter in use is currently running firmware 10.0.803.2202 or earlier and iBFT functionality is required, special steps must be followed when upgrading to this release. The recommended flash method is to use the Emulex OneConnect Offline Flash ISO, which will allow flashing in a single step.
- To upgrade and enable iBFT functionality with online tools, the most recent version of NIC driver, OneCommand Manager, and Emulex CIM provider must first be

installed. Additionally, the firmware must be flashed twice with a reboot after each flash.

Some online flash utilities, such as the OneCommand Manager application, may instruct you to reboot and flash the firmware a second time. If iBFT functionality is not required, this message can be safely ignored. No additional procedures are necessary when iBFT functionality is not required.

Workaround

None.

2. **A Feature on Demand licensing issue may cause incorrect personalities to be displayed in the OneCommand Manager application.**

Workaround

None.

3. **Large receive offload (LRO) functionality is not working properly on the second port of a 2-port adapter.**

Workaround

None.

4. **Changing personalities may disable a Cisco switch's operator mode for priority flow control (PFC).**

Workaround

Perform the following steps:

- a) Check the operator mode by typing

```
show int eth 1/x priority-flow-control
```

- b) If the operator mode is off, for each affected port you must then toggle the priority-flow-control mode to "off" and then back to "auto".

At the switch:

```
priority-flow-control mode off
```

```
priority-flow-control mode auto
```

5. **The *Universal Multichannel Version 10.2 Reference Guide* includes information about concurrent mode storage. This feature is not supported in this release.**

Workaround

None.

6. **Ethtool may display port speed as "unknown" when multichannel is enabled and UFP mode is selected.**

Workaround

None.

7. **The link for vNIC ports may not appear when the UFP multichannel mode is used along with the iSCSI personality.**

Workaround

In the Emulex NIC Configuration utility, select the Erase Configuration option to reset all NIC settings to the factory defaults. Once the reset is completed, reconfigure the NIC settings as desired. The vNIC ports will then link up as expected.

NIC UEFI Known Issues

1. **Erase Configuration may not properly reset the multichannel setting.**

If multichannel is enabled and then Erase Configuration is selected, the multichannel setting may not reset to disabled upon reboot.

Workaround

Do not make any other configuration changes when selecting Erase Configuration.

2. **On two-port adapters, if you have selected the NIC - ETS Disabled setting for NIC Mode and then disable SR-IOV, NIC Mode will remain set to NIC - ETS Disabled and SR-IOV will not be disabled after a system reboot.**

Workaround

You must set NIC Mode to the NIC Only Profile setting on all ports before disabling SR-IOV.

FCoE UEFI Known Issues

1. **The FCoE ports listed in the “System Settings > Storage” UEFI menu are ordered backwards.**

The lowest PCI function (the first port) should be the first one on the list.

Workaround

None.

iSCSI UEFI Known Issues

1. **An iSCSI login does not display an error when providing invalid target information.**

Workaround

None.

2. **The iSCSI ports listed in the “System Settings > Storage” UEFI menu are ordered backwards.**

The lowest PCI function (the first port) should be the first one on the list.

Workaround

None.

PXE BootBIOS Known Issues

1. **After a firmware upload, the PXESelect utility may experience a delay of up to three minutes while displaying “Rebooting to Apply PCI Function Mapping Changes”.**

Workaround

None.

2. **On Lenovo systems that are UEFI 2.1 compliant, changes to any settings configured using the Emulex PXESelect utility may not be persistent across reboots.**

This is a Unified Configuration Management (UCM) issue that results in the system resetting twice every time changes are made in the PXESelect utility.

Workaround

Changes to configuration settings must be performed using the UEFI configuration utilities or the Lenovo ASU or Config Patterns tools.

3. **The PXE BootBIOS screen displays OCe14400-series adapters as “Emulex 10Gb UNDI” during adapter initialization, which is incorrect.**

Workaround

None.

iSCSI BootBIOS Known Issues

1. **IPv6 formatting does not following RFC standards, which results in invalid IP address error message and a pop-up dialog box requesting that you re-enter the IP address.**

Workaround

None.

2. **Changing the target’s digest parameters may cause the boot LUN to revert to LUN 0.**

Workaround

None. You must re-select the appropriate boot LUN.

3. **Discovery login CHAP authentication must be provided multiple times – once during discovery, once during log in, and when the boot flag is enabled.**

Workaround

None.

4. **iSCSISelect utility may attempt to connect to target even when “connect” option is not selected in iSCSI UEFI utility.**

Workaround

None.

5. **Adapter failover using multipath I/O (MPIO) with iSCSI boot may not work properly on VMware ESXi 5.0 systems.**

Workaround

None.

6. **On Lenovo systems that are UEFI 2.1 compliant, changes to any settings configured using the Emulex iSCSISelect utility may not be persistent across reboots.**

This is a Unified Configuration Management (UCM) issue that results in the system resetting twice every time changes are made in the iSCSISelect utility.

Workaround

Changes to configuration settings must be performed using the UEFI configuration utilities or the Lenovo ASU or Config Patterns tools.

7. **When entering the iSCSI BIOS on Windows 2008 x86 SP2 systems, an iSCSI Initiator Name mismatch error message may be displayed.**

The error message states:

“Error: There is an iSCSI Initiator Name mismatch for the OneConnect controllers in this system. Please use the iSCSI Initiator Configuration screen to set a single iSCSI Initiator Name for all controllers in the system.”

Workaround

None.

8. **iSCSI BootBIOS screen displays OCe14400-series adapters as “Emulex 10Gb UNDI” during adapter initialization, which is incorrect.**

Workaround

None.

FCoE x86 BootBIOS Known Issues

1. **The Configure Boot Devices menu only scans for the next 16 LUNs from the starting LUN, which limits the LUNs displayed.**

Workaround

None.

2. **On Lenovo systems that are UEFI 2.1 compliant, changes to any settings configured using the Emulex FCoE BootBIOS utility may not be persistent across reboots.**

This is a Unified Configuration Management (UCM) issue that results in the system resetting twice every time changes are made in the FCoE BootBIOS utility.

Workaround

Changes to configuration settings must be performed using the UEFI configuration utilities or the Lenovo ASU or Config Patterns tools.

Technical Tips

1. **Under SLES 11, the bond 5 and 6 modes must be configured properly to work with the firmware.**

When configuring the bond mode, change the default setting to include “updelay=100”. For example, the correct setting for bond 6 is `BONDING_MODULE_OPTS='mode=6 miimon=100 updelay=100'`.

2. **For Cisco switches, the access mode must be set in trunk mode, and native VLAN cannot be FCoE VLAN, that is, the FCoE VLAN must be in the allowed list. For example, if VLAN 2 is the FCoE VLAN and VLAN 1 is the Ethernet VLAN, you would enter the following:**

- `Switchport mode trunk`
- `Switchport trunk native vlan 1`
- `Switchport trunk allowed vlan 1-2`

3. **For Brocade switches, trunk mode must be set in converged mode. For example, if VLAN 2 is the FCoE VLAN, you would enter the following:**

- `Switchport mode converged`

- Switchport converged allowed vlan add 2
4. **For best performance, disable the Spanning Tree Protocol (STP) on all networked switches if you are using the following:**
 - Adapter fault tolerance (AFT)
 - Automatic load balancing (ALB)
 - Static link aggregation teaming
 5. **To disable boot from SAN after Lenovo BladeCenter Open Fabric Manager (BOFM) or IBM Fabric Manager (IFM) has been enabled, you must set boot from SAN manually in the EFIBoot configuration utility or send a BOFM default command to the port.**
 6. **Only three functions are available on each port when using the Custom personality mode with multichannel disabled.**

The OCe14000-series adapters support the Custom personality mode when multichannel is disabled. The OCe14000-series adapters support NIC, iSCSI, and FCoE protocols on a single port. While the normal NIC, iSCSI, and FCoE personalities support only NIC, NIC+iSCSI, or NIC+FCOE configuration on both ports, the Custom mode allows support for NIC, iSCSI, and FCoE on both ports.

With multichannel disabled, each port can be configured with one of the following configurations:

- One NIC function
- One NIC function and one iSCSI function
- One NIC function and one FCoE function
- One NIC function, one iSCSI function, and one FCoE function

Notes

- Two of the same storage protocols are not supported on a single port.
- Two NIC functions are not supported on a single port.

Therefore, on a 2-port controller you can potentially have 6 functions, while a 4-port controller can have up to 12 functions. The function-to-port mapping is displayed in the following tables.

Table 1 Function-to-Port Mapping for 4-port OCe14000-series Adapters

Port 0	Port 1	Port 2	Port 3
0	1	2	3
4	5	6	7
8	9	10	11

Table 2 Function-to-Port Mapping for 2-port OCe14000-series Adapters

Port 0	Port 1
0	1
2	3
4	5

Copyright © 2014 Emulex. All rights reserved worldwide. This document refers to various companies and products by their trade names. In most, if not all cases, their respective companies claim these designations as trademarks or registered trademarks. This information is provided for reference only. Although this information is believed to be accurate and reliable at the time of publication, Emulex assumes no responsibility for errors or omissions. Emulex reserves the right to make changes or corrections without notice. This report is the property of Emulex and may not be duplicated without permission from the Company.

OpenSSL Notice

This is a copy of the current LICENSE file inside the CVS repository.

LICENSE ISSUES

=====

The OpenSSL toolkit stays under a dual license, i.e. both the conditions of the OpenSSL License and the original SSLeay license apply to the toolkit. See below for the actual license texts. Actually both licenses are BSD-style Open Source licenses. In case of any license issues related to OpenSSL please contact openssl-core@openssl.org.

OpenSSL License

```
/* =====
 * Copyright (c) 1998-2011 The OpenSSL Project. All rights reserved.
 *
 * Redistribution and use in source and binary forms, with or without
 * modification, are permitted provided that the following conditions
 * are met:
 *
 * 1. Redistributions of source code must retain the above copyright
 * notice, this list of conditions and the following disclaimer.
 *
 * 2. Redistributions in binary form must reproduce the above copyright
 * notice, this list of conditions and the following disclaimer in
 * the documentation and/or other materials provided with the
 * distribution.
 *
 * 3. All advertising materials mentioning features or use of this
 * software must display the following acknowledgment:
 * "This product includes software developed by the OpenSSL Project
 * for use in the OpenSSL Toolkit. (http://www.openssl.org/)"
 *
 * 4. The names "OpenSSL Toolkit" and "OpenSSL Project" must not be used to
 * endorse or promote products derived from this software without
 * prior written permission. For written permission, please contact
 * openssl-core@openssl.org.
 *
 * 5. Products derived from this software may not be called "OpenSSL"
 * nor may "OpenSSL" appear in their names without prior written
 * permission of the OpenSSL Project.
 *
 * 6. Redistributions of any form whatsoever must retain the following
 * acknowledgment:
 * "This product includes software developed by the OpenSSL Project
 * for use in the OpenSSL Toolkit (http://www.openssl.org/)"
 *
 * THIS SOFTWARE IS PROVIDED BY THE OpenSSL PROJECT ``AS IS'' AND ANY
 * EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
 * IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
 * PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE OpenSSL PROJECT OR
 * ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
 * SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
 * NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;
 * LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
 * HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
 * STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
 * ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
 * OF THE POSSIBILITY OF SUCH DAMAGE.
 * =====
 *
 * This product includes cryptographic software written by Eric Young
 * (eay@cryptsoft.com). This product includes software written by Tim
 * Hudson (tjh@cryptsoft.com).
 */
```

Original SSLeay License

```
/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
 * All rights reserved.
 *
```



```

* This package is an SSL implementation written
* by Eric Young (eay@cryptsoft.com).
* The implementation was written so as to conform with Netscapes SSL.
*
* This library is free for commercial and non-commercial use as long as
* the following conditions are aheared to. The following conditions
* apply to all code found in this distribution, be it the RC4, RSA,
* lhash, DES, etc., code; not just the SSL code. The SSL documentation
* included with this distribution is covered by the same copyright terms
* except that the holder is Tim Hudson (tjh@cryptsoft.com).
*
* Copyright remains Eric Young's, and as such any Copyright notices in
* the code are not to be removed.
* If this package is used in a product, Eric Young should be given attribution
* as the author of the parts of the library used.
* This can be in the form of a textual message at program startup or
* in documentation (online or textual) provided with the package.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
* 1. Redistributions of source code must retain the copyright
*   notice, this list of conditions and the following disclaimer.
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions and the following disclaimer in the
*   documentation and/or other materials provided with the distribution.
* 3. All advertising materials mentioning features or use of this software
*   must display the following acknowledgement:
*   "This product includes cryptographic software written by
*    Eric Young (eay@cryptsoft.com)"
*   The word 'cryptographic' can be left out if the rouines from the library
*   being used are not cryptographic related :-).
* 4. If you include any Windows specific code (or a derivative thereof) from
*   the apps directory (application code) you must include an acknowledgement:
*   "This product includes software written by Tim Hudson (tjh@cryptsoft.com)"
*
* THIS SOFTWARE IS PROVIDED BY ERIC YOUNG ``AS IS'' AND
* ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
* ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE
* FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
* DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
* OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
* LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
* OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* The licence and distribution terms for any publically available version or
* derivative of this code cannot be changed. i.e. this code cannot simply be
* copied and put under another distribution licence
* [including the GNU Public Licence.]
*/

```

Secure Hash Algorithm (SHA-1) Notice

```

/*
* Written by Aaron D. Gifford <me@aarongifford.com>
*
* Copyright 1998, 2000 Aaron D. Gifford. All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions and the following disclaimer.
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions and the following disclaimer in the
*   documentation and/or other materials provided with the distribution.
* 3. Neither the name of the copyright holder nor the names of contributors
*   may be used to endorse or promote products derived from this software
*   without specific prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE AUTHOR(S) AND CONTRIBUTORS ``AS IS'' AND
* ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
* ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR(S) OR CONTRIBUTORS BE LIABLE
* FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
* DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
* OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT

```

* LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
* OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*/

PolarSSL and RedBoot GPLv2 Notice

GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301, USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Lesser General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.
TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.
- b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.
- c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

- a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE

THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.