

# Brocade 300 Entry Level Switch and Associated Field Replaceable Units

## Product End-of-Life Notice

### Version 1.1

---

Brocade, a Broadcom company, is initiating the End-of-Life (EOL) process for the Brocade 300.

Broadcom will continue to offer and provide support for the EOL products five (5) years from the Last Customer Ship (LCS) announced below for those customers with a valid support contract subject to Brocade support policies. New Brocade Fabric OS<sup>®</sup> (FOS) releases will be made available for four (4) years from the LCS for the Brocade 300 Switch with a valid support contract. After FOS EOA, at least one Target Path FOS release will continue to be made available for use on the Brocade 300 until End-of-Support (EOS).

The objective of the Brocade account management team is to assist you to make your final purchases of product subject to EOL and to smoothly transition to the new products by planning to the following milestones.

Brocade 300 SAN Switch	Date
End-of-Life Notification Date	October 16, 2018
Last Time Order (LTO) Final, Non-Cancelable, Non-Returnable Order Due Date (Subject to lead time and availability)	February 16, 2019
Last Customer Ship (LCS) Date	April 16, 2019
FOS End-of-Availability (EOA) (FOS releases that GA after this date will not be made available for the Brocade 300.)	April 16, 2023
End-of-Support (EOS) Date	April 16, 2024

Brocade Part Number	Description	Recommended Alternative Solution
BR-320-B-0008	320,8P,FULL FABRIC,8GB SWL SFPS,BR	BR-G610-8-16G-0
BR-340-B-0008	340,16P,FULL FABRIC,8GB SWL SFPS,BR	BR-G610-24-16G-1
BR-360-B-0008	360,24P,FULL FABRIC,8GB SWL SFPS,BR	BR-G610-24-16G-1
BR-360-B-1008	360,24P,FULL FABRIC,8GB SWL SFPS,EB,BR	BR-G610-24-16G-1
XBR-320-B-0000	FRU,320,8P,FULL FABRIC,0 SFP,BR	XBR-G610-8
XBR-340-B-0000	FRU,340,16P,FULL FABRIC,0SFP,BR	XBR-G610-24
XBR-360-B-0000	FRU,360,24P,FULL FABRIC,0 SFP,BR	XBR-G610-24

### Replacement Products

Broadcom recommends evaluating the Brocade G610 as a replacement for the Brocade 300.

## Revision History

### **Version 1.1; April 15, 2022 (Brocade-300-EOL-OT100)**

Updated with the FOS EOA date.

### **Version 1.0; October 16, 2018**

Initial version.

Copyright © 2019–2022 Broadcom. All Rights Reserved. The term “Broadcom” refers to Broadcom Inc. and/or its subsidiaries. For more information, go to [www.broadcom.com](http://www.broadcom.com). All trademarks, trade names, service marks, and logos referenced herein belong to their respective companies.

Broadcom reserves the right to make changes without further notice to any products or data herein to improve reliability, function, or design. Information furnished by Broadcom is believed to be accurate and reliable. However, Broadcom does not assume any liability arising out of the application or use of this information, nor the application or use of any product or circuit described herein, neither does it convey any license under its patent rights nor the rights of others.

The product described by this document may contain open source software covered by the GNU General Public License or other open source license agreements. To find out which open source software is included in Brocade products, to view the licensing terms applicable to the open source software, and to obtain a copy of the programming source code, please download the open source disclosure documents in the Broadcom Customer Support Portal (CSP). If you do not have a CSP account or are unable to log in, please contact your support provider for this information.