

Brocade[®] SANnav[™] Management Portal and SANnav Global View: Frequently Asked Questions

Overview

Brocade[®] SANnav[™] Management Portal and SANnav Global View empower IT organizations by providing comprehensive visibility into the SAN environment. These products transform information on SAN behavior and performance into actionable insights, allowing administrators to quickly isolate, identify, and correct problems before they happen. In addition, Brocade SANnav solutions accelerate and reduce administrative tasks by automating processes, helping IT organizations realize their goal of an autonomous SAN.

For additional product information, go to www.broadcom.com.

General Questions and Answers

What types of environments can benefit from Brocade SANnav Management Portal and SANnav Global View?

Brocade SANnav Management Portal is the preferred option for medium or larger environments, as it provides a complete view of the network including traffic flows and health conditions across the SAN. Its intuitive User Interface (UI) leverages Brocade Autonomous SAN technology and presents data in summarized dashboards, enabling a faster and comprehensive SAN management experience. SANnav Management Portal streamlines common and frequent workflows to accelerate the deployment of new applications and configures the SAN network accordingly. Security features are built into Brocade SANnav Management Portal and Global View to help administrators protect their network. With Brocade SANnav, administrators can set up monitoring and alerting for security configuration changes, customized security thresholds, provide proper access control to individual administrators, view switch security events, and automatically distribute SSL certificates across the SAN to ensure authenticity and encryption settings. Brocade SANnav Global View is best suited for customers who have multiple instances of SANnav Management Portal deployed in their data centers, and who require a unified and aggregated view of their inventory, events, and alarms and consolidated and aggregated inventory reports.

Can I use SANnav Global View without the SANnav Management Portal?

No. You cannot use SANnav Global View without the SANnav Management Portal. SANnav Global View by itself does not directly manage SAN fabrics. Rather, it gathers data from SANnav Management Portal instances and provides users with global visibility.

How are SANnav Management Portal and SANnav Global View sold?

All Brocade SANnav products are offered via subscription-based licensing. Options are listed in [Table 1](#) for SANnav Management Portal and in [Table 2](#) for SANnav Global View.

Table 1: SANnav Management Portal Subscription-Based Licensing Options

License Type	Supported Ports	Subscription Duration
Brocade SANnav Management Portal		
Base edition (manages switches only, no directors)	600 ports	BR SKUs are offered for 1-year to 7-year durations in increments of 1 year.
Enterprise edition (required to manage directors)	15,000 ports	BR SKUs are offered for 1-year to 7-year durations in increments of 1 year.

NOTE: *At this time, durations of 1 to 7 years are not applicable to OEMs (including Pure Storage). For OEMs, valid durations are 1-year, 3-year, and 5-year.*

Table 2: SANnav Global View Subscription-Based Licensing Options

License Type	Supported Instances	Subscription Duration
Brocade SANnav Global View		
Brocade SANnav Global View	20 SANnav Management Portal instances	BR SKUs are offered for 1-year to 7-year durations in increments of 1 year.

NOTE: *Currently, durations of 1 to 7 years are not applicable to OEMs. For OEMs, valid durations are 1-year, 3-year, and 5-year.*

Where can I download Brocade SANnav software?

Access the support portal at support.broadcom.com to download purchased Brocade SANnav software. Once registered, use your Broadcom Support online account and download your software. Select **My Dashboard** from the main page to access **My Downloads** on the left-side bar to download SANnav. A serial number with a valid Brocade direct support contract is required for customer access.

Can I try SANnav Management Portal and SANnav Global View without purchasing them?

There is no longer a SANnav Trial license for v2.3.0 and later. If you need to test the capabilities of SANnav before deployment within your data center, a trial license option is available. Anyone who has a valid entitlement support contract with Broadcom can download a SANnav Management Portal and SANnav Global View v2.2.1.x and/or v2.2.2.x trial license for 30 days, or download a SANnav v2.2.0.x or earlier version trial license for 90 days without purchasing a license.

The trial license provides full functionality, except for SANnav Management Portal's disaster recovery feature and backup and restore of SANnav Management Portal and SANnav Global View databases. The SANnav Management Portal Trial license can support up to 15,000 ports and the SANnav Global View Trial license can support up to 20 instances of Portals.

What is the behavior of SANnav Management Portal and SANnav Global View when a license file is applied?

When a license file is applied, SANnav Management Portal and SANnav Global View enforce the behaviors according to that license. The products enforce the limits on the number of ports that can be managed and the time for which the product may be used.

How do I know when my license will expire?

The expiration date is listed on the License Management page within SANnav Management Portal and SANnav Global View. Refer to the SANnav User Guide for specific instructions. Also, starting 90 days from the license expiration date, a warning message is displayed after a user logs in.

Can I install the same SANnav Management Portal or SANnav Global View license file on multiple servers?

No. A given license file is bound to the specific physical server on which it is installed.

How can I migrate a SANnav Management Portal or SANnav Global View license from one server to another server?

Migrate a license by following the rehosting procedure documented in the SANnav installation and upgrade/migration guide. The rehosting procedure involves releasing a license from the current server and generating a new license file for the new server where SANnav will be hosted. Refer to your vendor's documentation for details on generating licensing files.

Does SANnav Management Portal support automation and integration with third-party management solutions?

Yes. SANnav Management Portal currently supports integration with VMware vCenter.

How can I access data in the SANnav Management Portal and SANnav Global View database?

Access data via APIs, via a GUI, or by generating reports. There is no direct access to SANnav databases.

How can I share SANnav Management Portal data with my help desk system?

Configure SANnav Management Portal events to be automatically forwarded to your ticketing system.

Packaging and Licensing

Where can I purchase SANnav Management Portal and SANnav Global View?

Brocade SANnav products are sold through Broadcom OEMs and channel partners.

Upgrade and Migration Paths

I have a license for Brocade Network Advisor. Can I upgrade to SANnav Management Portal using that license?

No. Existing Brocade Network Advisor customers must purchase SANnav Management Portal or both SANnav Management Portal and SANnav Global View, based on their needs.

Device Support

Which Brocade SAN devices are supported by SANnav Management Portal and SANnav Global View?

SANnav Management Portal and SANnav Global View support all non-EOS Brocade switches and platforms that run supported Brocade FOS firmware. Refer to the [SANnav Management Portal User Guide](#) for a release-specific list of supported hardware and FOS versions.

System Requirements

Which operating systems do Brocade SANnav products support?

Server Requirements

Table 3: Server Specification and Deployment Configurations

Product/Edition	Max. Switch Ports/ Instances under Management	Operating System	Host Type	vCPU	Memory	Hard Disk
Brocade SANnav Management Portal Base Edition	600 ports	RHEL	Bare Metal/ESXi VM/HyperV VM OVA (Rocky, ESXi)	16	48 GB	600 GB
Brocade SANnav Management Portal Enterprise Edition	Up to 3000 ports	RHEL	Bare Metal/ESXi VM/HyperV VM OVA (Rocky, ESXi)	16	48 GB	600 GB
	Between 3000 and 15,000 ports	RHEL	Bare Metal/ESXi VM/HyperV VM OVA (Rocky, ESXi)	24	96 GB	1.2 TB
Brocade SANnav Global View	Up to 20 SANnav Management Portal instances	RHEL	Bare Metal/ESXi VM/HyperV VM	16	32 GB	300 GB

NOTE:

- SANnav versions up to SANnav v2.2.2.1 support CentOS v7.9 in VM or Bare Metal deployments. SANnav v2.3.0 only supports RHEL 8.4 and 8.6. CentOS is no longer supported.
- SANnav versions up to SANnav v2.2.2.1 package CentOS v7.9 in OVA deployments. SANnav v2.3.0 OVA deployment packages Rocky v8.6. CentOS is no longer supported.
- SANnav Management Portal is not supported on Security Enhanced Linux (SE Linux) in Enforcing or Permissive mode on Rocky or RHEL (any version).

Browser Support

Firefox, Chrome, and Edge are supported.

Can I run SANnav Management Portal and SANnav Global View on the same physical server but in two different virtual machines (VMs)?

Yes. However, the VM running SANnav Management Portal must adhere to the server specifications for SANnav Management Portal, *and* the VM running SANnav Global View must adhere to the server specifications for SANnav Global View.

Learn More

Where can I find more information about Brocade SANnav Management Portal and SANnav Global View?

Visit the [SANnav Management Portal and Global View product page](#) for additional product information.

Copyright © 2018–2023 Broadcom. All Rights Reserved. The term “Broadcom” refers to Broadcom Inc. and/or its subsidiaries. For more information, go to www.broadcom.com. All trademarks, trade names, service marks, and logos referenced herein belong to their respective companies.

Broadcom reserves the right to make changes without further notice to any products or data herein to improve reliability, function, or design. Information furnished by Broadcom is believed to be accurate and reliable. However, Broadcom does not assume any liability arising out of the application or use of this information, nor the application or use of any product or circuit described herein, neither does it convey any license under its patent rights nor the rights of others.

The product described by this document may contain open source software covered by the GNU General Public License or other open source license agreements. To find out which open source software is included in Brocade products or to view the licensing terms applicable to the open source software please download the open source attribution disclosure document in the Broadcom Support Portal. If you do not have a support account or are unable to log in, please contact your support provider for this information.