

Fast. Intelligent. Secure.

Build Your Enterprise on the Cyber-Resilient Foundation of the Brocade® Gen 7 Autonomous SAN



Introduction

Brocade® Gen 7: Enabling a Cyber-Resilient, Autonomous SAN

The pace of change in the data center is placing more demands on IT.

Next-generation servers and storage will move more data through your infrastructure than ever before. Flash and NVMe are processing workloads at unimaginable speeds, enabling new applications and capabilities such as advanced analytics, business intelligence, and data-intensive workloads that drive new levels of performance and capacity requirements.

Given these advancements, coupled with the ever-increasing demand for faster, more reliable data access and higher levels of security, the network will need to evolve. As delivery is accelerated, so too is the complexity to manage, protect, and make sense of the data. Humans are just not fast enough. The SAN needs to be smarter and be able to manage itself. It needs to automate management tasks to simplify and enable non-stop operations while ensuring optimal performance and strengthening the level of security in the network.

With Brocade Gen 7 you can realize a cyber-resilient, autonomous SAN that unleashes the performance and maximizes the ROI of your server and storage investments.

Contents

Why Brocade Gen 7?	3
Gen 7: The New Dimension	4
Digging a Little Deeper	6
Cyber Resiliency	7
Integrated Security	8
Meet the Autonomous SAN	9
Realizing the Autonomous SAN - Self-learning - Self-optimizing - Self-healing	12
Innovative Capabilities	13
Use Cases: The Autonomous SAN at Work	14
Brocade Gen 7 Directors	17
Brocade Gen 7 Switches	19
Brocade Gen 7 Extension Switch	20
Brocade 64G Transceivers	21
Conclusion	22

Why Brocade Gen 7?

Any issue, anywhere in the SAN, can cost millions of dollars in lost transactions and productivity. That's the bottom line.

Trouble is, with everything else in the data center moving extremely fast, your SAN may impede this performance and begin to struggle. What's working now may not be good enough for much longer.

If you don't upgrade your SAN, your ROI from new applications and new storage and server technologies could be hanging by a thread.

Of course, you can play it safe, especially in uncertain times. But the business needs the performance now.

So, sure, you can wait. Everything's working fine. It makes no sense to risk something new until things have settled down.

But the truth is, things are never going to settle down. Now, you need a SAN that's ready for a world that works in a different way. You need to lay down the foundation now, rather than trying to catch up later.

You need Brocade Gen 7 Fibre Channel.









See how Brocade Gen 7 enables the autonomous SAN.

Digging a Little Deeper

When we talk about lower latency, we literally mean half the latency of Gen 6. That's down to 460 nanoseconds.

With Gen 7, you can get the most out of the infrastructure you have now while easing your migration to new storage technologies. Delivering 64G speeds and ultra-low-latency, Gen 7 provides an instant performance boost for data-intensive applications and high-performance storage—Storage Class Memory (SCM), All Flash Arrays (AFAs), or NVMe.

The intelligence built into Gen 7 allows it to monitor, learn, and measure how application data flows across the fabric. Gen 7 can find problems and fix them without intervention through automatic detection, repair, and optimization at speeds that barely register as incidents. Brocade Gen 7 also gives you 50% more buffers per ASIC over Gen 6. It can handle more traffic, provide greater distance, cope with bursty workloads, and manage congestion, keeping traffic flowing reliably.

Modern storage fabrics need to be in place now to keep pace with ever-increasing demands of the business.

According to analyst ESG, a modern storage fabric must:

 Deliver persistent essential low latency and bandwidth improvements to accelerate new and existing applications.

- Support end-to-end NVMe protocol communication and diagnostics, allowing NVMe to coexist seamlessly with existing storage protocols. This capability ensures investment protection.
- Improve the cybersecurity posture of the storage network to reduce the risk to valuable datasets and applications as the environment scales.
- Offer integrated intelligence and automation that is built on analytics and telemetry data to further simplify and optimize the environment.

Only Brocade Gen 7 switches and directors provide performance and efficiency gains that could never be achieved manually.

Brocade Traffic Optimizer, a key feature of Gen 7, proactively puts like traffic together over virtual channels, creating separate performance groups. It classifies and automatically segregates traffic by characteristics such as speed, latency, or protocol like NVMe or SCSI. This reconciles the over-subscription and congestion issues caused by mismatched speeds, allowing you to upgrade your infrastructure as your time and budget allows.

Cyber Resiliency Is at the Core of Gen 7

Security is top-of-mind for data center administrators as the sophistication and volume of cybercriminal activities have increased dramatically.

Businesses are under immense pressure to protect their enterprise users against disruptions or outages while eliminating cybersecurity vulnerabilities. Counterfeiting and tampering with hardware and software have become - lucrative illegal trades and can also cause serious damage and risk to your environment.

Security integrated by design.

Brocade Gen 7 is a cyber-resilient network designed with security in mind to protect an organization against vulnerabilities, making it the top network choice for mission-critical storage.

- **Fibre Channel fabrics** are secure by design, based on controlled access between servers and storage and isolation within the data center.
- Brocade Fabric OS® (FOS) software provides integrated security features, such as Secure Boot, Brocade Trusted FOS (TruFOS) Certificates, and hardening of FOS itself, that further reduce vulnerabilities from malware and hijacking attacks by automatically validating the integrity of the switch operating system, security settings, and hardware.

- Brocade TruFOS Certificates ensure that enterprises running Brocade directors and switches are currently covered by support licenses and enabled to perform critical operations securely, so users no longer have to worry about whether the operating system has been tampered with.
- Brocade SANnav™ Management Portal gives enterprise users
 the ability to automatically distribute SSL certificates across
 the SAN to ensure authenticity and encryption settings.
 Administrators can set up monitoring and alerts for security
 configuration changes, customize security thresholds, give
 proper access control to individual administrators, and view
 switch security events.

Brocade Gen 7 Fibre Channel safeguards and modernizes your SAN against cybersecurity and business-continuity challenges that threaten to disrupt data center operations.



Integrated Security

Meet the Autonomous SAN

We've seen the hardware advantages of Gen 7. Now let's see how the software takes things to a whole different dimension of performance.

When things are happening at nanosecond speed, the smallest change can have a huge impact.

Imagine a premium sports car on a test track. The slightest flaw in the track or slowdown in the network might be manageable at cruising speed. But at full throttle, the impact can be disastrous. Picture driving at top speed in the fog.

Yet even this example is on a human scale. In the Gen 7 SAN, things are happening faster than we can imagine. They have to, because the complexity and scale of the traffic continues to grow.

The autonomous SAN uses the intelligence and telemetry built into Brocade Gen 7 Fibre Channel to safeguard the SAN, optimize the network, and resolve issues as fast as they happen. Because at these speeds, if a human had to intervene it would already be too late.





Autonomous SAN Technology Enables a Cyber-Resilient Network with Self-Learning, Self-Optimizing, and Self-Healing

Cyber resiliency goes beyond safeguarding your SAN against cyber attacks.

Brocade Gen 7 also protects your SAN from IT disruptions and disasters with autonomous SAN technology that learns, optimizes, and heals on its own. These capabilities automate processes to ensure optimal performance, enable non-stop operations, and maximize management automation.

Brocade Gen 7 products harness powerful analytics and advanced, built-in automation, transforming billions of data points into automated actions. This ensures the reliability and performance of critical applications, virtual infrastructure, and NVMe storage. By understanding and analyzing network telemetry data in real time, the SAN can automatically make intelligent decisions on traffic prioritization and congestion mitigation to ensure non-stop operations. With automated congestion detection and resolution, Brocade Gen 7 instantly mitigates impacts to applications and resolves issues much faster, freeing up valuable admin time.

Brocade Gen 7 can automatically identify and resolve most of the routine problems that occur in a modern high-speed storage network.

Only when it can't resolve an issue itself—like a failing server—does it call for intervention. As a result, today's generalist admins can manage a Brocade Gen 7 SAN without needing to get involved in the granular details. If and when it needs help, the autonomous SAN will tell the admin what happened, where it happened, and what needs to be done to fix the problem. It will also tell the admin what it has done to work around the issue.

The ability of Gen 7 to self-correct autonomously allows the modern business infrastructure to achieve the reliable performance it needs to reach the full potential of next-generation servers and storage. Now the infrastructure can scale and adapt that performance to its full potential.





See what an autonomous SAN can do.


Realizing the Autonomous SAN


Innovative Capabilities

Use Case 1: Avoid Performance Degradation

Instantly notify end devices of congestion.

Brocade monitors millions of performance and health characteristics





Over time workloads grow and VMs are added per server



Brocade sends notification of congestion to end devices





End device (HBA) automatically takes action to address congestion





Server causing the issue is paced to optimize resource utilization



Everything is back to normal





Use Case 2: Ensure Data Delivery and Failover Faster

Fail over from physical issues.




Continuously monitor fabric paths




Brocade SAN instantly sends notifications of impairment





Automatically fail over to avoid impaired path with MPIO





Use Case 3: Eliminate Performance Impacts

Automatically take corrective action on misbehaving devices.



Monitoring detects the slow-drain device



All switches in a fabric informed of the slow-drain device






Flows designated to the slow-drain device reassigned to low-priority VCs



Buffer credits free up for regular flows sharing the same path





Build your Foundation for the Autonomous SAN with Brocade X7 Directors

Meeting the demands of continuous data growth and critical applications, the Brocade X7 Director is ideal for large-scale storage environments that require increased capacity, greater throughput, and higher levels of resiliency and operational efficiency. With a 50% latency reduction compared to Gen 6, Brocade X7 Directors maximize the performance of NVMe storage and high-transaction workloads, eliminating I/O bottlenecks and unleashing the full performance of next-generation storage. In addition, the Brocade X7 Director lays the foundation for the autonomous SAN by harnessing the power of analytics and the simplicity of automation to optimize performance, ensure reliability, and simplify management.

Brocade X7 Directors provide up to 512 64G line-rate ports, enabling organizations to scale more devices, applications, and workloads.

With diverse deployment options, multiprotocol flexibility, and mixed blade capability, organizations can adapt and optimize their businesses to meet next-generation storage and server requirements.

For investment protection, Brocade X7
Directors offer three generations of backwardcompatibility support for connectivity
to 8, 16, and 32G Fibre Channel products.
The Brocade X7 also supports mix-and-match
blades, allowing Gen 6 and Gen 7 blades
to be installed in the same chassis.



Brocade GEN7 FIBRE CHANNEL

Brocade X7-8 Director scale up to 512 x 64G ports

Brocade X7-4 Director scale up to 256 x 64G ports

2x performance and scale compared to Gen 6

50% lower latency

Integrated analytics and advanced automation

Traffic Optimizer and congestion management

Mix and match Gen 6 and Gen 7 blades

Brocade X7 Directors Provides Flexibility

Mix and match Gen 6 and Gen 7 blades in a single chassis.




64-port Gen 7 Brocade FC64-64 port blade with 64G line-rate performance

• Support for 8, 16, 32, 64G Fibre Channel




48-port Gen 6 Brocade FC32-48 port blade with 32G line rate performance

- Support for 4, 8, 10, 16, 32G Fibre Channel
- Non-upgradeable to 64G speeds



48-port Gen 7 Brocade FC64-48 port blade with 64G line-rate performance

• Support for 8, 10, 16, 32, 64G Fibre Channel




Brocade SX6 Extension Blade for replication and disaster recovery services over long distances

- Accelerate data replication and secure data flows over distance at full line-rate speed - Up to 80Gb/s per blade
- Provides flexible Fibre Channel and IP storage replication deployment options with 16 32G Fibre Channel ports, 16 1GbE/10GbE ports, and 2 40GbE ports



48-port Gen 6 Brocade FC32-X7-48 port blade with 32G line-rate performance

- Support for 4, 8, 10, 16, 32G Fibre Channel
- Non-upgradeable to 64G speeds



Connect More Devices and Build Larger Fabrics with Brocade Gen 7 Switches



Build high-performance fabrics with powerful, ultra-dense 64G switches.

Brocade Gen 7 switches create high-scale fabrics in less rack space with the industry's highest-density 64G switch portfolio. These switches simplify deployment, configuration, and management of SAN resources with a collection of easy-to-use tools—Brocade SANnav and Brocade Web Tools. Beyond being inherently secure, Gen 7 switches come bundled with secure optics, secure boot, and secure licensing.

Brocade G720 Switch

Fixed-port building block designed to maximize performance of flash and NVMe environments.



- Up to 64 64G ports in a 1U switch
- 48 SFP+ ports plus 8 SFP-DD ports for a total of 64 ports
- Scales from a 24-port base configuration to 64 ports with three 8-port SFP+ PODs, plus a 16-port SFP-DD POD using eight 2x64G SFP-DD transceivers
- Encrypts and compresses traffic between sites

The Brocade G730 enterprise switch also ships with Trusted FOS certificates. Unlike previous generations where you had to purchase separate software licenses, now Brocade Gen 7 switches include all software feature licenses for Fabric Vision®, ISL Trunking, Integrated Routing, and Extended Fabrics, and the Brocade G720 also includes the FICON CUP license.

Brocade G730 Switch

High-density building block designed for increased scalability to support growth and large fabrics in dense rackmount environments.

- Up to 128 ports in a 2U switch
- 96 SFP+ ports plus 16 SFP-DD ports for a total of 128 ports
- Scales from a 48-port base configuration to 128 ports with two 24-port SFP+ PODs, plus a 32-port SFP-DD POD using 16 2x64G SFP-DD transceivers



Securely Move More Data, Faster over Distance, with the Brocade 7850 Extension Switch

Ensure fast and continuous replication of data to anywhere in the world.

For enterprises operating large-scale, multi-site data center environments, the Brocade 7850 Extension Switch is the ideal solution for quickly and efficiently moving large amounts of data over the WAN to ensure critical data is available in the event of a disaster.

Its cyber-resilient replication connectivity makes it the perfect choice for even the most demanding disaster recovery requirements and improves recovery point objectives (RPOs) and recovery time objectives (RTOs).

The Brocade 7850 delivers industry-leading performance and scalability, with up to 100Gb/s replication performance, and includes built-in technology that overcomes latency and packet loss—even over intercontinental distances.

Proactive WAN monitoring, extension trunking, adaptive rate limiting, and non-disruptive firmware updates ensure high availability and reliability, with pre-deployment validation and

advanced network failure recovery technologies to protect data from WAN disruptions and outages.

Security is bolstered via data-in-flight encryption, while additional hardware and software features secure connections between data centers to safeguard data from threats over the WAN and protect against unauthorized access. 24 x 64G Fibre Channel ports, 16 x 1/10/25GbE interfaces. and 2 x 100GbE interfaces, data centers can achieve the bandwidth, port density, and throughput needed for maximum application performance over any global distance.





Maximizes 25/100GbE WAN connections to handle more replication traffic

Consolidates high-speed Fibre Channel, FICON and IP storage replication

Secures data without impacting performance with AES 256-bit hardware encryption

Protects against WAN link failures with load balancing and failover

Ensures always-on replication with nondisruptive firmware and security updates

Pre-validates the WAN infrastructure to ensure worry-free deployment

Proactively detects WAN anomalies to avoid unplanned downtime

Brocade Gen 7 Optical Transceivers

The industry's first 64G optical transceivers.

Broadcom provides the industry's first 64G optical transceivers. Brocade optical transceivers are optimized and certified for high-performance data center network connectivity. With guaranteed compatibility with Brocade switches and directors, compliance with industry standards, and Brocade support, Brocade transceivers satisfy a wide range of speed, form-factor, and distance requirements.

Brocade 64G SWL SFP+ optical transceiver

Accelerate data access with 64G links to unleash the full performance of nextgeneration storage networks.

- Backward-compatibility support for connectivity to 16/32G Fibre Channel devices
- OM3/OM4/OM4+/OM5 operating distances across 16/32/64G
- Supported in Gen 7 products only
- Supports 10/25/50GbE when plugged into the Brocade FC64-48 Fibre Channel port blade AnylO port

Brocade Gen 7 ICL QSFP optical transceiver

Provide scalable connectivity for Brocade X7 Director chassis-tochassis interconnect.

Two Gen 7 ICL QSFP transceiver options available:

- Supports a link length up to 2 km over single-mode fiber using an industry-standard LC connector
- Supports up to 100m on OM4/OM5 multimode fiber or 70m on OM3 multimode fiber using an industrystandard MPO-12 UPC connector

Brocade 64G SFP-DD optical transceiver

Connect more servers. storage, or switches in the same footprint with the industry's first double density optical transceiver.

- Increases port count within the same footprint
- Provides two ports for device or ISL connectivity
- Accommodates either SFP or SFP-DD optics in each SFP-DD port
- Can be installed in any order and any combination





Conclusion

The business always wants faster, more reliable, and more secure data access. To meet those ever-increasing demands, you need a modernized infrastructure that maximizes performance, simplifies management, ensures continuous availability, and strengthens the level of security. The solution you need is Brocade Gen 7 Fibre Channel.

Brocade Gen 7 brings all these capabilities together. Our Gen 7 hardware platforms, combined with software and integrated security features, will maximize the performance, efficiency, and resiliency of your storage investments and resources.

Brocade Gen 7 is the intelligent, scalable foundation you need to create an infrastructure ready to deliver your modern, on-demand data center.





WANT TO FIND OUT MORE?

Brocade Gen 7



Speak to one of our specialists about how you can benefit from Brocade Gen 7 today.

Website:

Brocade® X7 Director

Website:

Brocade® G720 Switch

Website:

Brocade® G730 Switch

Enabling a Cyber-Resilient Network:
The accelerated

The accelerated foundation for the modern data center

Solution Brief:

Brocade Autonomous SAN Solution Brief

ESG Showcase:

The Necessity of an Automatic IT Environment

View in Adobe Acrobat for the best viewing experience.

For more information, visit our website at: www.broadcom.com

Copyright © 2024 Broadcom. All Rights Reserved. The term "Broadcom" refers to Broadcom Inc. and/or its subsidiaries. All trademarks, trade names, service marks, and logos referenced herein belong to their respective companies. Gen7-Interactive-SB100 March 27, 2024

Simple and Secure:
Ensure optimal

performance while strengthening security

Top reasons to upgrade:

Migrate to higher levels of functionality, performance, and resiliency Modern SAN Management:

Optimize and protect your data with a smarter SAN